

# Installation instructions

Cover holder for outdoor spa



For safety reasons, please read this manual carefully before installation and use

## Indhold:

Reception,unpacking .....	3
Tools and preparation .....	4
Included parts.....	5-6
Mounting .....	7-9
Maintenance .....	10
Notes .....	11
Contact .....	12

## Reception

Please check that the product has no visible damage or defects. The product may have suffered damage during transport.

If the product has visible damage upon receipt, this must be pointed out to the carrier and entered in the shipping note, and then immediately notify it to the store where this product is purchased.

### **Complaints:**

Please note that the voucher for the receipt is for an intact product on the shipping note. If you wish to receive the item with a reservation, the reservation must be specified in detail on the consignment note before receipt.

Examples include: Package # 1 out of 2 missing or Box # 3 broken in the lower right corner, please then take a picture of the package.




## Extracting

Be careful about unpacking so that the product is not scratched or damaged in any other way. Be especially careful when using a hobby knife or similar.

If you believe that the product has defects, please contact the store, who will then contact Dansk Bademiljø to report a complaint.






You will then be contacted within 5 business days by a technician who will try to locate and fix your problem by phone.

If the technician considers that a service visit will be necessary, this will be agreed on the same occasion.



## Tools and preparation


1. Rubber Hammer
2. Screwdriver
3. Wrench
4. Drill
5. Drill bit
6. Pencil




The tool is not included - and is not included in the price of the product

## Included parts


1	Bottom plate	16	22 pcs. caps
2	Stands, left side	17	2 pcs. M8x40 Hex screws
3	Stands, right side	18	2 pcs. M8 wing nuts
4	Angle protector for base plate	19	4 pcs. 1/2" PVC caps
5	Support Frame	20	1 pcs. Safety chain
6	Gas cylinder	21	2 pcs. bushings
7	Support frame	22	2 pcs. rubber washers
8	Right swivel arm	23	2 pcs.M8 nut tricks, round top
9	Left swivel arm	24	12 pcs. 5x18mm screws
10	2 pcs. adjustable arms	25	4 pcs. rubber stoppers
11	2 pcs. M8 nuts	26	2 pcs. rubber pads
12	6 pcs. M8 screws	27	2 pcs. lock pins
13	4 pcs.5x80mm wood screws	28	2 pcs. adjustable sheath
14	4 pcs. M8 nut tricks, round top	29	6 pcs. 5x30mm wood screws
15	6 pcs. M8 pads		




# Included parts



# Mounting



- \* Make sure you have all the necessary parts.
- \* The right and left sides are indicated from the front of the outdoor spa.
- \* It is recommended to pre-drill with the enclosed drill, where wood screws are used



## Step 1:


Screw the Left leg to base plate with 2 8 mm. bolts. Remember to turn the leg right (Fig. 1)

## Step 2:

Repeat for right leg.(Fig. 2)

## Step 3:


Measure the distance from the outdoor plinth to the outer edge of the spa. Position the Angle Belt after this target and mark.  
Note: The support arms should be as close to the spa as possible.  
(Fig. 3)



## Step 4:




Use 8 mm. screws to secure the angle bracket.

Note: Turn the bracket as shown in Fig 4.



**Step 5:**

Lift the outside rail and slide the base plate under until the angle bracket hits the base. The cover holder should be placed in the center of the side. (fig. 5)



**Step 6:**


Place the bearing frame over the support frame as shown in fig. 6.

**Step 7:**

Remove the safety chain so that the support frame can tilt up. (Be careful not to hit the holder when the gas cartridge expands. Fig. 7)


**Step 8:**

Adjust the height of the support frame so that the support frame flattens with the top of the outside rail (Fig. 8)



**Step 9:**

Use self-tapping screws to screw the support frame to the support legs. Holes are drilled in the frame. Cover the screws with PVC caps (Fig. 9)



**Step 10:**

Place the arms on the holder, as shown in Fig.10, and fasten them with locking pins. The arms must be equal in length.




Fig. 11

**Step 11:**

The arms need to be adjusted so they can take most of the cover. (Fig. 11)




Fig. 12

**Step 12:**

Measure the thickness of the folded cover and fit the two end pieces at the correct distance.

Screw the end piece into place with self-tapping screws. The holes is pre-drilled.

**Step 13:**

Attach the end piece to the other side.

**Step 14:**

Use 4 pcs. 8 mm wood screws to secure the angle bracket to the base of the outdoor shelf to stabilize the cover holder.




Fig. 13

Optionally, use 4 wood screws to secure the frame to the outside of the spa side for further stabilization. (Fig. 14)

**Step 15:**

Place PVC caps on all screws and nuts.







Fig. 14

**Step 16:**

The cover holder is ready to use.

**Step 17:**

The lock chain can be used to secure the holder in the closed position.



# Maintenance

Use regular detergents and a soft cloth for daily cleaning of the product. Detergents containing acetone or ammonia must not be used. Likewise, do not use scour cream or disinfectants containing formic acid or formaldehyde to disinfect the product.

## Note:

the information in this manual is subject to change without notice. The manufacturer does not make any warranty obligations with respect to its contents and expressly disclaims any implied warranty of good merchantability or fitness for a particular purpose. In addition, the manufacturer reserves the right to revise this guide and make changes without being obligated to notify such revisions or changes to other persons.

## For any deficiencies or complaints

Upon receipt, check that the product has no visible damage or defects. The product may have been damaged during transport.

If the product has visible damage upon receipt, this must be pointed out to the carrier and stated on the consignment note and immediately notified to the supplier.

## Service needs and advice

If there are manufacturing defects or missing parts, please contact the store where the product was purchased, the store will contact Dansk Bademiljø to lodge a complaint. You will then be contacted within 5 business days by a service representative who will help you with your problem over the phone. If the service representative considers that a service visit will be necessary, the same opportunity is agreed.



# Contact

Spa Kompagniet ApS  
Sigma 8, Søften  
8382 Hinnerup

Tel. 70 27 27 23  
info@spakompagniet.dk

[www.spakompagniet.dk](http://www.spakompagniet.dk)

Åbningstider:  
Mandag till Fredag 10.00 til 17.00  
Lørdag: 10.00 til 14.00

Copyright © 2019 SPA Kompagniet ApS  
All rights reserved.